


PLAYER STRATOCASTER® HSS PLUS TOP

(014-4562-XXX / 014-4563-XXX)

PARTS LAYOUT



PLAYER STRATOCASTER® HSS PLUS TOP

(014-4562-XXX / 014-4563-XXX)

PARTS LIST

REF#	DESCRIPTION	PART NUMBER
1	BODY PLAYER STRAT ACB	7712522531
	BODY PLAYER STRAT TBB	7712522552
2	NECK PLAYER STRAT PF	7712308000
	NECK PLAYER STRAT MN	7712306000
3	KEY GTR DUAL PIN MNT	0037429049
4	WASHER KEY	0053106049
5	BUSHING KEYS	0058820049
6	STRING TREE, VINTAGE NI	0994910000
7	SCRW SMAB 3x3/8 RHP NI	0011357049
8	PICKGUARD STRAT 1HB B/W/B	0090879000
9	SCRW SMAB 4x1/2 OHP NI	0015578049
10	PICKUP ASSY STD MEX NECK PARCH	7713131000
11	PICKUP ASSY STD MEX MID PARCH	7713132000
12	PICKUP ASSY SHAWBUCKER PARCH	7712283000
13	SPRING HB MTG 3/4"	0050167049
14	SCREW M#3-48x13/16 RHP#4 HD NI	0050166049
15	TUBING LATEX CUT .300 x 1/8ID x 1/4OD	0994916000
16	SCRW 6-32X3/4 RHP STL NI	0099346000
17	BRIDGE ASSY, 2 PT. TREM	0072253000
18	INSERT SCREW MACH,BRIDGE PIVOT	0028958049
19	SCREW MACHINE-BRIDGE PIVOT	0028957049
20	ARM TREM VINT PING SGGBA-FCR	0992310100
21	SWITCH 5 WAY LEVER W/METAL GRG	0991367000
22	KNOB PICKUP SWITCH PARCHMENT	0056253049
23	SCREW-MA 6-32X5/8 RH NI	0994925000
24	KNOB STRAT VOLUME PARCH	0056254049
25	KNOB STRAT TONE PARCH	0056254049
26	NUT HEX 3/8-32x3/32 TK NI	0016352049
27	WSHR LCK INTL 3/8x.500x.020 NI	0022384049
28	CONTROL 250K 10% TPR SPLIT	0990830000
29	JACK PHONE 1/4 - OUTPUT	0047329049
30	FERRULE JACK CHR STD STR	0033023000




PARTS LIST

Fender®

PLAYER STRATOCASTER® HSS PLUS TOP

(014-4562-XXX / 014-4563-XXX)

WIRING DIAGRAM




PLAYER STRATOCASTER® HSS PLUS TOP

(014-4562-XXX / 014-4563-XXX)

SWITCH AND CONTROL FUNCTION








5-WAY SWITCH POSITION					SWITCH POSITION
T1	T1	T1	T1 & T2	T2	TONE CONTROL
					NECK PICKUP
					MIDDLE PICKUP
					BRIDGE PICKUP
PICKUP IS ON				INDICATES POSITION OF 5-WAY SWITCH	
PICKUP IS OFF					



PLAYER STRATOCASTER® HSS PLUS TOP

(014-4562-XXX / 014-4563-XXX)

ADDITIONAL SPECIFICATION DETAIL

FRET SIZE: MEDIUM JUMBO (FRET DIMENSIONS ARE BEFORE INSTALLATION) 		PLEASE NOTE: AS EACH NECK IS SANDED & FINISHED BY HAND, THICKNESS DIMENSIONS MAY VARY SLIGHTLY FROM THOSE SHOWN.	NECK PROFILE: MODERN "C"  1ST FRET PROFILE  12TH FRET PROFILE																	
KEY GTR DUAL PIN MNT PING P/N 0037429049 BUSHING KEYS PING P/N 0058820049  Ø .390"		TUNING MACHINE THRU-HOLE INNER DIAMETER .397"  Ø .397"																		
SADLE HEIGHT ADJUSTMENT WRENCH: .050" HEX KEY P/N: 0018531049  .050" HEX SADDLE HEIGHT ADJUSTMENT SCREW P/N 0075536000 		TRUSS ROD NUT P/N 0038454000  3/16" HEX Ø .312" 10-32 THREAD																		
LOGO: DECAL STRAT MEX 2018 APPLIED UNDER THE FINISH 		PICKUP SPECIFICATIONS <table><tr><th>POSITION</th><th>MAGNETS</th><th>DC RESISTANCE</th><th>POLARITY</th></tr><tr><td>NECK</td><td>ALNICO 5 BEV</td><td>7.44KΩ</td><td>NORTH</td></tr><tr><td>MIDDLE</td><td>ALNICO 5 BEV</td><td>8.0KΩ</td><td>SOUTH</td></tr><tr><td>BRIDGE</td><td>ALNICO 2 BAR</td><td>7.6KΩ</td><td>SOUTH NORTH</td></tr></table>			POSITION	MAGNETS	DC RESISTANCE	POLARITY	NECK	ALNICO 5 BEV	7.44KΩ	NORTH	MIDDLE	ALNICO 5 BEV	8.0KΩ	SOUTH	BRIDGE	ALNICO 2 BAR	7.6KΩ	SOUTH NORTH
POSITION	MAGNETS	DC RESISTANCE	POLARITY																	
NECK	ALNICO 5 BEV	7.44KΩ	NORTH																	
MIDDLE	ALNICO 5 BEV	8.0KΩ	SOUTH																	
BRIDGE	ALNICO 2 BAR	7.6KΩ	SOUTH NORTH																	

